

Hybrid Systems for Minigrids

Scaling Up Renewable Energy Minigrids for Rural Electrification

> August 12-14 2013 Raipur, Chhattisgarh

> > Jorge Ayarza Minvayu

Part of the Auroville Foundation, Auroville, Tamil Nadu

Goal: To make hybrid systems available in rural areas

Why?

Do you have problems boosting/equalizing your battery?

Do you have problems in the monsoon season?

Do your clients use power at night?

Do you want longer battery life?

Do you want to know how the system is operating?

Do you want productive use of power – you may need more than 4 hrs per day for this!

PV is great, but it is better when you use a HYBRID



MinVayu's solution


100 students to date Train, train, train



Improve a simple open-source turbine



Continuous Improvement lower cost/kw installed





Training villagers/entrepreneurs how to build small wind turbines

Local manufacture = sustainability







MinVayu's **Turbines**



Designed for Tropical Environment
Made 100% locally
Efficient design for low winds
Custom designs for special applications

Battery Charging of any voltage (Typically 12 – 48V)

High voltage designs available

Wind-electric batteryless waterpumping using off the shelf 3-phase submersible pump

Custom Designed Blades for optimum site performance

Turbine sizes from 100W up to 2,500W





Wind Turbine Specs

Diameter (m)	1.8	3	4.2
Nominal Watt at 10m/s	350	800	1,700
Cut-in rpm	240	167	120
Kwh at 4m/s	30	85	166
Kwh at 5m/s	52	146	286
Kwh at 6m/s	74	205	402
Rs/kWr	157	87	73



Hybrid controller

Auroville Designed Microprocessor-based smart controller for mini-grids Solar/Wind/Hydro/Diesel Hybrid

Programmable/Open Source
Data Logging
Internet/Cell 2G/3G capable
Payment-capabilities possible (Lumiere)
Full autonomous operation
Flexible
Waterpumping applications available
Industry-standard add-on components



Wattmon can be used in a variety of configurations.

Hybrid setup with wind/solar configuration

In this setup 2 current sensor modules are monitoring 4 channels of DC power up to 75A each, and a dual relay module is controlling 2 SSR devices which control load and dump load outputs.

All logging and control of the DC system happens autonomously and is stored on the microSD card.

Internet access allows monitoring and control of settings. Can also be set up with 2G cell phone configuration


Base price: 12,600 Rs





Live Data Feed

Energy In and Out in Watts Graph on 09/08/2013





Wind Requirements

Require 4m/s annual average or better for battery charging systems

For wind-electric waterpumping require 5m/s+

Use CWET wind data as a reference (new windmap)

If in doubt, use datalogger and measure at site New arduino logger, open source, low cost

Installer MUST be trained on how to install a wind turbine.

Highly site specific



Example mountain mini-grid

2 Technicians build turbine from scratch as apprentices at Minvayu. Reach site 2 days walking





Gain skills to not only maintain and install system, but also to replicate construction at their own village



Keep it simple

Turbine is AC 220V variable frequency. Village grid is connected directly. Rectify/charge battery at household

3m Turbine 800W rated at 10m/s 220V operation Variable frequency grid

Mini-grid for basic lighting for 40 homes Excess energy to heat water

Turbine can run AC 220V pump or variable rpm productive application directly. No inverter needed





Pipeline

Develop lower cost turbines: 30% less by end of year

Create support for RE installers nationally

Promote open-source innovation network

Expand Trainings at National level

Include trainings for small/pico hydro



MinVayu Contacts



Manufacturing: MinVayu Project Windarra Farm Auroville 605101 Tamil Nadu

Office:
MinVayu Project
CSR Building
Auroshipam
Auroville 605101
Tamil Nadu

Jorge Ayarza Founder

Email: Jorge.ayarza@gmail.com

Skype jorge_ayarza Cell: +91 9786296441

www.minvayu.org