

## Government of India recommended use of Endosulfan for various crops & available alternatives in NPM

Crop	Pest	Chemicals	Biologicals	NPM Methods
Paddy	Leaf Folder	Endosulfan Cypermethrin lambda cyhalothrin	<i>Trichogramma chilonis</i>	<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Removing Leaf folds using Thorny twigs</li> <li>• Spraying Vitex solution</li> </ul>
	Hispa/case worm/cut worm	Endosulfan Quinalphos Monocrotophos Chlorpyrifos	<i>Trichogramma chilonis</i>	<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Removing Leaf folds using Thorny twigs</li> <li>• Spraying Vitex solution</li> </ul>
	Swarming caterpillar/surti caterpillar	Carbaryl Quinalphos Monocrotophos Endosulfan Triazophos Chlorpyrifos		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Removing Leaf folds using Thorny twigs</li> <li>• Spraying Vitex solution</li> </ul>
Pigeonpea	Pod Borer	Acephate Endosulfan	<i>Helicoverpa armigera</i> <i>Nuclear polyhedrosis</i>	<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Shaking Method</li> <li>• Deep Summer Ploughing</li> </ul>
		Triazophos	virus (NPV) <i>Bacillus thuringiensis</i>	<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Shaking Method</li> <li>• Deep Summer Ploughing</li> </ul>
	Pod bug	endosulfan chlorpyrifos methyl oxydemeton imidacloprid		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Neem oil 3% spray</li> </ul>

	<u>Pod fly</u>	endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Neem oil 3% spray</li> </ul>
	Defoliators	endosulfan acephate		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Neem oil 3% spray</li> </ul>
<b>Bengal gram</b>	Pod borer	azadirachtin endosulfan	<i>Helicoverpa armigera</i> NPV <i>Bacillus thuringiensis</i>	<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Deep Summer Ploughing</li> </ul>
<b>Greengram, Blackgram</b>	Pod borer	monocrotophos triazophos endosulfan	<i>Helicoverpa armigera</i> NPV <i>Bacillus thuringiensis</i>	<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Deep Summer Ploughing</li> </ul>
<b>Groundnut</b>	Leafminer	monocrotophos endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Pheromone Traps</li> </ul>
	Defoliator ( <i>Spodoptera litura</i> )	endosulfan	<i>Spodoptera litura</i> NPV Pheromone traps	<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Pheromone Traps</li> <li>• Deep Summer Ploughing</li> <li>• Poison baits</li> </ul>
<b>Mustard</b>	<u>Leaf and pod caterpillar</u>	endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> </ul>
	<u>sawfly</u>	endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Collection of large caterpillars</li> </ul>
	Leaf webber	ethofenprox endosulfan	<i>Bacillus thuringiensis</i>	<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Collection of leaf webs and destruction</li> </ul>
<b>Sesamum</b>	<u><i>Antigastra</i> sp/ Pod capsule borer</u>	endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> </ul>
	<u>Spingid caterpillar</u>	endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> </ul>

<b>Sunflower</b>	<i>Helicoverpa</i> (head borer)	endosulfan	<i>Helicoverpa armigera</i> NPV Pheromone traps	<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Pheromone Traps</li> <li>• Deep Summer Ploughing</li> <li>• Poison baits</li> </ul>
	Defoliators	endosulfan azadirachtin		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Pheromone Traps</li> <li>• Deep Summer Ploughing</li> <li>• Poison baits</li> </ul>
	Cutworm	dichlorvos endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Pheromone Traps</li> <li>• Deep Summer Ploughing</li> <li>• Poison baits</li> </ul>
	<u>Castor semilooper</u>	endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> </ul>
<b>Niger</b>	Lucern caterpillar defoliator	endosulfan monocrotophos		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> </ul>
<b>Linseed</b>	Lucern caterpillar	chlorpyrifos endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> </ul>
	Defoliator	endosulfan carbaryl		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> </ul>
<b>Safflower</b>	Bihar hairy caterpillar	endosulfan methyl oxydemeton dimethoate		<ul style="list-style-type: none"> <li>• Deep Summer Ploughing</li> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Chilli-garlic Solution spray</li> </ul>

<b>Soyabean</b>	Leaf roller Leaf miner	triazophos phosalone endosulfan		<ul style="list-style-type: none"> <li>• Deep Summer Ploughing</li> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Chilli-garlic Solution spray</li> </ul>
	Stemfly defoliator	monocrotophos phosalone endosulfan		<ul style="list-style-type: none"> <li>• Deep Summer Ploughing</li> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Chilli-garlic Solution spray</li> </ul>
<b>Maize</b>	Stalk borer	endosulfan carbofuran		<ul style="list-style-type: none"> <li>• Deep Summer Ploughing</li> <li>• NSKE – 5% spray</li> <li>• Application of 200 Kg Neem cake during ploughing</li> <li>• Chilli-garlic Solution spray</li> </ul>
	Corn earworm/defoliator	endosulfan carbaryl		<ul style="list-style-type: none"> <li>• Deep Summer Ploughing</li> <li>• NSKE – 5% spray</li> <li>• Application of 200 Kg Neem cake during ploughing</li> <li>• Chilli-garlic Solution spray</li> <li>• Pheromone Traps</li> </ul>
<b>Ragi</b>	<u>Pink borer</u>	endosulfan		<ul style="list-style-type: none"> <li>• Deep Summer Ploughing</li> </ul>

				<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Application of 200 Kg Neem cake during ploughing</li> <li>• Spraying 3% neem oil</li> </ul>
	<u>Millets shoot fly</u>	endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> </ul>
<b>Sorghum</b>	Defoliators	quinalphos fenvalerate endosulfan chlorpyrifos		<ul style="list-style-type: none"> <li>• Deep Summer Ploughing</li> <li>• NSKE – 5% spray</li> <li>• Application of 200 Kg Neem cake during ploughing</li> <li>• Spraying 3% neem oil</li> </ul>
	Gram pod borer	endosulfan	<i>Helicoverpa armigera</i> NPV <i>Bacillus thuringiensis</i>	<ul style="list-style-type: none"> <li>• Deep Summer Ploughing</li> <li>• NSKE – 5% spray</li> <li>• Application of 200 Kg Neem cake during ploughing</li> <li>• Spraying 3% neem oil</li> <li>• Pheromone Trap</li> </ul>
<b>Cotton</b>	Spotted bollworm; pink bollworm; <i>Helicoverpa</i> ; Red cotton bug; Dusky cotton bug	endosulfan triazophos spinosad indoxacarb	Pheromone traps <i>Trichogramma chilonis</i> <i>Bacillus thuringiensis</i> <i>Helicoverpa armigera</i> NPV	<ul style="list-style-type: none"> <li>• Deep Summer Ploughing</li> <li>• NSKE – 5% spray</li> <li>• Application of 200 Kg Neem cake during ploughing</li> <li>• Spraying 3% neem oil</li> <li>• Cow dung - Urine Solution</li> <li>• 5% Vitex Solution</li> </ul>

	Leaf roller	endosulfan chlorpyrifos		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> </ul>
<b>Jute</b>	Semilooper	endosulfan quinalphos phosalone		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> </ul>
	Bihar hairy caterpillar; Indigo caterpillar	endosulfan monocrotophos		<ul style="list-style-type: none"> <li>• Deep Summer Ploughing</li> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Chilli-garlic Solution spray</li> </ul>
	Mites	dicofol endosulfan propargite		<ul style="list-style-type: none"> <li>• Spraying 2% wettable sulphur</li> </ul>
<b>Mesta</b>	Jassid	phosalone endosulfan dimethoate		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Neem Oil 3% Spray</li> </ul>
<b>Sugarcane</b>	Top shoot borer; Internode borer	endosulfan carbaryl quinalphos carbofuran	<i>Trichogramma japonicum</i> <i>Trichogramma chilonis</i>	<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Application of 200 Kg Neem cake during ploughing</li> </ul>
<b>Bhindi</b>	Leaf roller	endosulfan carbaryl		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> </ul>
<b>Cucurbits</b>	Red pumpkin	carbaryl endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Neem Oil 3% Spray</li> </ul>
<b>Chilli</b>	Fruit borer	endosulfan triazophos dicofol	Spodoptera NPV <i>Trichogramma chilonis</i>	<ul style="list-style-type: none"> <li>• Deep Summer Ploughing</li> <li>• NSKE – 5% spray</li> <li>• Erecting bird perches</li> <li>• Chilli-garlic Solution spray</li> <li>• Pheromone Traps</li> </ul>
<b>Tomato</b>	Fruit borer ( <i>Helicoverpa</i> )	endosulfan	<i>Helicoverpa armigera</i>	<ul style="list-style-type: none"> <li>• Deep Summer</li> </ul>

	<i>armigera)</i>	triazophos	NPV <i>Trichogramma chilonis</i> <i>Bacillus thuringiensis</i> Pheromone traps	Ploughing • NSKE – 5% spray • Erecting bird perches • Chilli-garlic Solution spray • Pheromone Traps
<b>Cabbage/Cauliflower</b>	Cabbage borer	endosulfan carbaryl malathion	<i>Bacillus thuringiensis</i>	• NSKE – 5% spray • Chilli-garlic Solution spray
	Tobacco caterpillar	endosulfan carbaryl		• Deep Summer Ploughing • NSKE – 5% spray • Erecting bird perches • Chilli-garlic Solution spray • Pheromone Traps
	Leaf webber ( <i>Crocidoloma binotalis</i> )	acephate endosulfan malathion	<i>Bacillus thuringiensis</i>	• NSKE – 5% spray • Chilli-garlic Solution spray
	Cabbage butterfly	endosulfan carbaryl malathion	<i>Bacillus thuringiensis</i>	• NSKE – 5% spray • Chilli-garlic Solution spray
<b>Potato</b>	Cutworm	chlorpyrifos endosulfan		• NSKE – 5% spray • Application of 200 Kg Neem cake during Ploughing • Poison baits
<b>Pea</b>	Pod borer	endosulfan triazophos carbaryl	<i>Helicoverpa armigera</i> NPV <i>Bacillus thuringiensis</i>	• Deep Summer Ploughing • NSKE – 5% spray • Erecting bird perches

				<ul style="list-style-type: none"> <li>• Chilli-garlic Solution spray</li> <li>• Pheromone Traps</li> </ul>
<b>Mango</b>	Mango hopper	endosulfan carbaryl		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Neem Oil 3% spray</li> </ul>
	Mealy bug	endosulfan monocrotophos chlorpyrifos malathion		<ul style="list-style-type: none"> <li>• Field sanitation</li> <li>• NSKE – 5% spray</li> <li>• Neem Oil 3% spray</li> </ul>
<b>Citrus</b>	Lemon butterfly	endosulfan (carbaryl/malathion in fruiting stage)		<ul style="list-style-type: none"> <li>• Field sanitation</li> <li>• NSKE – 5% spray</li> <li>• Neem Oil 3% spray</li> <li>• Cow dung urine solution spray</li> </ul>
<b>Guava</b>	Bark eating caterpillar	monocrotophos endosulfan		<ul style="list-style-type: none"> <li>• Removal of insect galleries</li> <li>• Field Sanitation</li> <li>• Painting the stem with neem oil</li> </ul>
	Fruit borer	carbaryl endosulfan		<ul style="list-style-type: none"> <li>• NSKE – 5% spray</li> <li>• Neem Oil 3% spray</li> </ul>